

Recommended by Mercedes Benz
H21 01 06 1L



Maestro 2.65

Electro-mechanical 2-post lift, 6.5 t capacity



Application

- Repair and maintenance

Description:

Posts:

- Symmetric post installation
- Very stable welded posts
- Without base frame
- Two motors
- Cold-rolled spindle
- Nylon nut sets
- Carriage with 6 guiding wheels and lubrication-free roller bearings
- Pushbutton control unit with alarm signal
- Programmable top stop
- Electronic synchronization

Arms:

- 4 triple telescopic arms
- Wheel bearing of the first extension arm
- Low minimum height

Colour according to approval:

- RAL 7015 - slate grey

Versions:

- Available with different voltages
- F = flex pad

Optional extras:

- Available with portal or in-ground kit
- LED-lighting set
- Power pack
- Set of expansion bolts
- Extra control unit
- Wheel holders
- Large program of extra pads

The product meets the requirements for workshop equipment for MB service workshops and is recommended by Mercedes Benz with approval no. H21 01 06 1L.



Scan the QR-Code
for detailed product information.

Further Information on
www.autopstenhoj.com

AUTOPSTENHOJ GMBH
Sandkampstr. 90
D-48432 Rheine
Tel. +49 5971 860202
Email: info@autopstenhoj.com


AUTOPSTENHOJ GMBH
Barrit Langgade 188-190
DK-7150 Barrit
Tel. +45 76 82 13 30
Email: info@autopstenhoj.com



Recommended by Mercedes Benz
H21 01 06 1L

Technical data	
Lifting capacity	6,500 kg
Lifting height	1,900 mm
Working height	2,045 – 2,105 mm
Lifting / lowering time	approx. 35 sec.
Motor	2 x 4 kW
Voltage	3 x 230 / 400V – 50 Hz – 35 / 25 A

Arm superstructure	
Lifting pad included in the delivery	F: 11028 (90 – 150 mm)
Min. height	145 mm
Drive-through width	2,829 mm
Width between posts	3,170 mm
Total width - outer edges posts	3,560 mm
Total width - outer edges base plates	4,000 mm
Total height post	2,908 mm
Total height incl. portal	4,910 – 5,270 mm
Arm length front, min. - max.	770 – 1,640 mm
Arm length rear, min. - max.	770 – 1,640 mm



Triple telescopic arms with F-pad



Stable, welded post



Carriage with rollers